

4B22

GO **1**





The GO series has a **fresh, young and relaxed personality.**

Designed for **those who want to stay connected** through calls, videocalls, text messages, email and internet with a **modern smartphone of great quality and technology** without having to assign a large part of their budget to mobile technology.



The new GO 1 comes with a Quad Core processor, with 1.3GHz processing speed, offering **more powerful and stable performance for an improved internet experience.**

It comes with **1GB RAM and 8GB ROM memories, expandable up to 64GB**; that together with the **GO version of Android 10**, allows you to enjoy the lighter versions of your favorite mobile apps and social networks.



Shape life as it really is with **the new GO 1's 5MP (rear) and 2MP front cameras.**

The screen is **4 inches, TFT 800*480 resolution**, so you can enjoy clear and sharp experiences.

With a 1400 mAh battery, you **enjoy up to 6 hours of call, 7 days in standby and XX hours of video playback.**

GO 1



The design of **the new GO 1** is **more classic, with traditional frames**, maintaining a horizontal and vertical symmetry. It is available in **Black, Blue and Dark Gray**.

GO 1



TECHNOLOGY	OS	Android OS, v10 (Go Edition)
	Speed	DC-HSPA+ 22/6 Mbps
	2G Bands	850 / 900 / 1800 /1900
	3G Bands	850 / 900 / 1900 /2100
PROCESSOR	Chipset	Mediatek MT6580
	CPU	Quad-core 1.3 GHz
	GPU	Mali 400
MEMORY	Internal	8 GB, 1 GB RAM
	External	microSD, up to 64 GB
SCREEN	Type	TFT capacitive touch 16.7M colors
	Size	4 inches
	Resolution	800 x 480 pixels
CAMERA	Primary	5MP
	Options	Exposure Compensation, HDR, Auto focus, Continuous shots
	Video	720P Video Playback
	Secondary	2 MP
CONNECTIVITY	Bluetooth	v4.0, LE
	WLAN	Wi-Fi 802.11 b/g/n, Wi-Fi Direct, hotspot
BATTERY		Li-Ion 1400 mAh
DIMENSIONS	Dimensions	128.5 x 65.2 x 11 mm
	Weight	123 g (4.33 oz)
COLORS		Black, Blue, Gun Metal
PART NUMBER		GO1052



ESTUCHE PROTECTOR

PROTECTOR DE PANTALLA



CARGADOR



CABLE USB



TELÉFONO



GUÍA DE INICIO

**INCLUIDO
EN EMPAQUE**



CAJA

4022

